

information and the certification statement. Such documents should be designed to include the following information:

- (a) The approved manufacturer's name and address,
- (b) The manufacturer's approval number,
- (c) A description of the product, i.e., name, part or model number, serial number (if applicable) and product manufacturer,
- (d) The quantity,
- (e) A statement certifying that the aeronautical product described thereon conforms to approved design data, and is in a condition for safe operation, and
- (f) The signature of an authorized inspector above his typewritten or printed name.

All entries on airworthiness certification documents should be typewritten or printed in permanent ink.

An example of an acceptable manufacturer release certificate is shown at Appendix A, Figure 2. These certificates will be produced by approved manufacturers and will include as a minimum all of the applicable information and the certification statement prescribed in the sample form. However, the export block may be omitted if the tags are not to be used for export.

561.309 Certification for Export

Certification for export of aeronautical products may be carried out by a Department of Transport Airworthiness Inspector, or an Airworthiness Inspection Representative delegated this authority in accordance with Chapter 505 of the Airworthiness Manual.

Certification for export procedures for aeronautical products are contained in Chapter 507 of the Airworthiness Manual.

M. Khouzam

Chief
Airworthiness Standards

Appendix A

FIGURE 1 -Statement of Conformity

STATEMENT OF CONFORMITY (FOR NEWLY MANUFACTURED AIRCRAFT)																												
INSTRUCTIONS: Print or type all entries; see Airworthiness Manual Chapter 507 for instructions in the use and disposition of this form																												
1. AIRCRAFT Manufacturer: _____ Model _____ Serial No. _____ Registration _____ Type Approval _____ or FAA Spec or STC _____																												
2. ENGINE(S) <table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 15%;"></th> <th style="width: 25%;">Make</th> <th style="width: 25%;">Model</th> <th style="width: 20%;">Serial No.</th> <th style="width: 15%;">Type Approval No.</th> </tr> </thead> <tbody> <tr> <td>1.</td> <td>_____</td> <td>_____</td> <td>_____</td> <td>_____</td> </tr> <tr> <td>2.</td> <td>_____</td> <td>_____</td> <td>_____</td> <td>_____</td> </tr> <tr> <td>3.</td> <td>_____</td> <td>_____</td> <td>_____</td> <td>_____</td> </tr> <tr> <td>4.</td> <td>_____</td> <td>_____</td> <td>_____</td> <td>_____</td> </tr> </tbody> </table>					Make	Model	Serial No.	Type Approval No.	1.	_____	_____	_____	_____	2.	_____	_____	_____	_____	3.	_____	_____	_____	_____	4.	_____	_____	_____	_____
	Make	Model	Serial No.	Type Approval No.																								
1.	_____	_____	_____	_____																								
2.	_____	_____	_____	_____																								
3.	_____	_____	_____	_____																								
4.	_____	_____	_____	_____																								
3. PROPELLER(S) <table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 15%;"></th> <th style="width: 25%;">Make</th> <th style="width: 25%;">Model</th> <th style="width: 20%;">Serial No.</th> <th style="width: 15%;">Type Approval No.</th> </tr> </thead> <tbody> <tr> <td>1.</td> <td>_____</td> <td>_____</td> <td>_____</td> <td>_____</td> </tr> <tr> <td>2.</td> <td>_____</td> <td>_____</td> <td>_____</td> <td>_____</td> </tr> <tr> <td>3.</td> <td>_____</td> <td>_____</td> <td>_____</td> <td>_____</td> </tr> <tr> <td>4.</td> <td>_____</td> <td>_____</td> <td>_____</td> <td>_____</td> </tr> </tbody> </table>					Make	Model	Serial No.	Type Approval No.	1.	_____	_____	_____	_____	2.	_____	_____	_____	_____	3.	_____	_____	_____	_____	4.	_____	_____	_____	_____
	Make	Model	Serial No.	Type Approval No.																								
1.	_____	_____	_____	_____																								
2.	_____	_____	_____	_____																								
3.	_____	_____	_____	_____																								
4.	_____	_____	_____	_____																								
4. APPROVED MODIFICATIONS EMBODIED SUBSEQUENT TO TYPE APPROVAL Drawing and Issue No. _____ Description _____ or as per attached list																												
5. AIRWORTHINESS CERTIFICATION I hereby certify that the aircraft described above, produced under DOT Certificate of Approval number _____, conforms to its Approved type design, is in a condition for safe operation and was satisfactorily flight tested on _____. (Date) Signed _____ Date _____ On behalf of _____ (Company Name)																												
A.I. 100 (Rev. 1985)																												

FIGURE 2 -Manufacturer Release Certificate

MANUFACTURER RELEASE CERTIFICATE
(COMPANY NAME AND ADDRESS)

D.O.T. APPROVAL No. _____

PRODUCT NAME _____

PART No. _____

SERIAL No. _____

MANUFACTURER _____

THE AERONAUTICAL PRODUCT DESCRIBED HEREON CONFORMS TO APPROVED TYPE DESIGN DATA AND IS IN A CONDITION FOR SAFE OPERATION.

AUTHORIZED INSPECTOR _____ DATE _____

D.O.T. AIRWORTHINESS REPRESENTATIVE _____ DATE _____

FOR D.O.T. USE

APPROVED FOR EXPORT